

Q2 2022

Forcepoint

**AAA**

Overview

We performed an independent test of the Forcepoint Cloud Network Firewall (CNFW) v6.11 on Amazon Web Services. The Instance used for this test was c5.9xlarge (36 vCPU, 72 GB memory, and 10+ Gbps network Bandwidth). With excellent security and performance, this product is a worthy contender and should be considered by enterprises.

Threat Protection was excellent; Forcepoint blocked 35 out of 35 evasion techniques, and 977 out of 977 exploits. The device passed all stability and reliability tests. The HTTP Rated Throughput was 1,000 Mbps; TLS/HTTPS Rated Throughput was 886 Mbps, giving Forcepoint an excellent combined Rated Throughput of 943 Mbps.

**AA | Management & Reporting Capabilities**


**AAA | Routing and Policy Enforcement**

**AAA | SSL/TLS Functionality**

**AAA | Threat Prevention**

**AAA | Performance**

Threat Prevention			
	Samples Tested	Samples Blocked	Blocked %
Exploit Block Rate (No Background Network Load)	977	977	100%
Exploit Block Rate (With Background Network Load)	977	977	100%
Evasion Techniques	35	35	100%
False Positive Testing	PASS		
Stability & Reliability	PASS		
SSL/TLS Functionality			
Current Cipher Suites	9/9		
Insecure Cipher Suites	Allowed		
Decryption Validation	PASS		
Decryption Bypass Exceptions	PASS		
TLS Session Reuse	PASS		



Summary of Results

HTTP & HTTPS Performance	Clear Text (HTTP)		TLS_AES_256_GCM_SHA384 (0x13, 0x02)		TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xC0, 0x30)	
	CPS	Mbps	CPS	Mbps	CPS	Mbps
Max Connections per Second (CPS)						
115.6 KB   113.8 KB   115.0 KB   @ 1,000 CPS	1,000	1,000	1,000	1,000	1,000	1,000
57.4 KB   54.9 KB   56.3 KB   @ 2,000 CPS	2,000	1,000	2,000	1,000	2,000	1,000
28.0 KB   25.7 KB   27.0 KB   @ 4,000 CPS	4,000	1,000	4,000	1,000	4,000	1,000
13.5 KB   11.2 KB   12.3 KB   @ 8,000 CPS	8,000	1,000	8,000	1,000	8,000	1,000
6.4 KB   3.9 KB   5.0 KB   @ 16,000 CPS	16,000	1,000	13,400	838	14,500	906
2.7 KB   0.2 KB   1.4 KB   @ 32,000 CPS	32,000	1,000	14,100	441	14,400	450

# Management & Reporting Capabilities

AA


Forcepoint Security Management Center (SMC) offers a full set of functionalities for power users but is overly complex and may take some getting used to. SMC could benefit from streamlining with an eye for frequently used workflows.

## Authentication

Forcepoint Security Management Center (SMC) supports five role-based access control (RBAC) methods for the following users: Editor Administrator, NSX Administrator, Operator Administrator, Owner Administrator, Viewer Administrator, and custom user roles. Authentication is local or through a third-party authentication such as LDAP, RADIUS, TACACS+, X.509 certificate, or through a smart card.

## Policy

SMC supports using existing templates, creating new and saving multiple policies for general network settings, firewall, Intrusion prevention, SD-WAN, and many more. Administrators then create groups and apply policies easily configured from the GUI by either selecting or deselecting options or using advanced options that allow for further customization.



Once policies have been defined, they can be associated with domains, specific sensors, groups of sensors, all sensors, individual ports, port groups, etc. In addition, policy checks, diffs, versioning, and rollback are supported natively in the system.


Inheritance (nested rules) is fully supported, including the creation of groups and sub-groups, such that sub-groups can inherit certain aspects of configuration and policy definition from parent groups.

## Logging

Logging is robust and includes everything from policy changes, policy deployed, unsuccessful logins, successful logins, system failure, malicious traffic, etc. Logfile maintenance is included, such as archiving, log data pruning, and restoring from the archive. Furthermore, Forcepoint offers integration with third parties for log handling. Logs can be forwarded to any third party in Syslog, CEF, LEEF, NetFlow v9, and IPFIX format, McAfee ESM, and XML, CSV, to mention a few.


## Alert Handling

Alert entries are displayed in the active alerts view and in the logs view with other types of log entries. Admins can acknowledge alert entries. When an alert entry is acknowledged, an audit entry is created. The administrator views alerts through a detailed list that can be filtered, aggregated, compared, prioritized, and escalated. Each alert offers details about the system, configuration, details of what occurred, etc. It is also possible to search for an alert.



## Reporting

The system provides summary reporting on the status and notifies through dashboards that can be drilled into for additional details.



The SMC also includes a report generator that can construct complex data filters and summarize alerts on the specified criteria to customize a report. Reports are exportable as PDF, HTML, or text formats and can be generated on demand, scheduled for delivery, or saved for subsequent use.

## Change Control

Change control, rollback, and revision history are available.

# Routing and Policy Enforcement

AAA

Access control is the primary responsibility of a firewall. Firewalls have undergone several stages of development, from early packet filtering and circuit relay firewalls to application-layer (proxy-based), dynamic packet filtering firewalls, and user/application-aware “next-generation” firewalls. Throughout its history, the goal has been to enforce an access control policy between two networks. Rules were configured to permit or deny traffic from one network resource to another based on identifying criteria such as source IP, destination IP, source port, destination port, and protocols.

This test validates that the firewall enforces security policies over a range of policy environments, from simple to complex. The tests incrementally build on a baseline consisting of a simple configuration with no policy restrictions and no content inspection – to a complex multiple-zone configuration that supports many users, networks, policies, and applications. At each level of complexity, traffic was tested to ensure specified policies were enforced.

Network Segmentation	AAA
Unrestricted Traffic Test	✓
Segmented Traffic Test	✓
Access Control	AAA
Simple Policies	✓
Complex Multi-Zone Policies	✓

# SSL/TLS Functionality

AAA

As of May 13, 2022, data collected by W3Techs<sup>1</sup> showed that over 79.3% of web traffic is encrypted (HTTPS). To confirm that the firewall was correctly decrypting SSL/TLS traffic, we conducted a functional validation test prior to performance testing. Cipher suites are selected based on the published current frequency of use<sup>2</sup> and security status<sup>3</sup>.

## Cipher Suite Support

Supported Cipher suites accounted for ~98% of all HTTPS websites.

Version	Prevalence	Cipher Suites	AAA
TLS 1.3	60.5%	TLS_AES_256_GCM_SHA384 (0x13, 0x02)	✓
TLS 1.2	16.3%	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xC0, 0x30)	✓
TLS 1.2	11.7%	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xC0, 0x2F)	✓
TLS 1.3	6.7%	TLS_AES_128_GCM_SHA256 (0x13, 0x01)	✓
TLS 1.2	1.5%	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (0xC0, 0x28)	✓
TLS 1.2	1.3%	TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 (0xCC, 0xA8)	✓
TLS 1.3	0.5%	TLS_CHACHA20_POLY1305_SHA256 (0x13, 0x03)	✓
TLS 1.2	0.4%	TLS_ECDHE_ECDSA_WITH_CHACHA20_POLY1305_SHA256 (0xCC, 0xA9)	✓
TLS 1.2	0.3%	TLS_ECDHE_ECDSA_WITH_AES_256_GCM_SHA384 (0xC0, 0x2C)	✓

## Decryption Validation

Prevention of Insecure Ciphers	AAA
Null ciphers (no encryption of data)	✓
Anonymous Ciphers (no authorization)	Allows
Additional SSL/TLS Functionality	AAA
Decryption Validation	✓
Decryption Bypass Exceptions	✓
TLS Session Reuse	✓

First, we tested how the firewall handled cipher suites known to be insecure, using null ciphers (no encryption of data) and anonymous ciphers (no authorization). Then we validated the ability to correctly decrypt and inspect SSL/TLS traffic by using prohibited content previously blocked during testing. The content was then transmitted using encryption and verified that it was still blocked. We then tested to see if we could permit conditional bypass of decryption. This might be required to preserve privacy, either for regulatory or other reasons. Lastly, we tested TLS session reuse; to improve performance and reduce the overhead associated with conducting the full handshake for each session. The TLS protocol allows for abbreviated handshakes, which reuse previously established sessions.

<sup>1</sup> Usage Statistics of Default Protocol HTTPS for Websites as of May 13, 2022, <https://w3techs.com/technologies/details/ce-httpsdefault>

<sup>2</sup> Published international daily cipher suite usage can be found at <https://crawler.ninja/files/ciphers.txt>

<sup>3</sup> A list of cipher suites and associated attributes including security ratings can be found at <https://ciphersuite.info/cs/>

# Threat Prevention

AAA

A cloud network firewall is a mechanism used to protect a trusted network from an untrusted network while allowing authorized communications to pass from one side to the other, thus facilitating secure business use of the Internet.

### False Positives

A key to effective protection is the ability to correctly identify and allow legitimate traffic while maintaining protection against malware, exploits, and phishing attacks. False positives are any legitimate, non-malicious content/traffic that are perceived as malicious. False positive tests flex the ability of the firewall to block attacks while permitting legitimate traffic. If a device experienced false positive events, it was tuned until no further false positive events were encountered.

The CyberRatings exploit repository contains exploits that demonstrate a wide range of protocols and applications. Exploit sets for individual tests are selected based on CVSS score (how widely used is an application + what can an attacker do?), use case, and relevance to customers. This has implications for the age of exploits since some applications in industrial environments are deployed and then left untouched for years while other applications within office environments are refreshed every 5-7 years. First, we tested the firewall with no background network load to see how effective the firewall was at blocking exploits when protection was not resource constrained. Then we tested it with background network load.

## Exploits

**Blocked**

977/977(100%)

To be eligible for security effectiveness testing, the firewall must perform all the tests included in the methodology with its protection against network-delivered exploitation features enabled.

An exploit is an attack that takes advantage of a vulnerability in a protocol, product, operating system, or application. CyberRatings verified that the firewall could detect and block exploits while remaining resistant to false positives by attempting to send exploits through the product under test; and verified that the malicious traffic was blocked, and all appropriate logging and notifications were performed.




Figure 1 – Exploit Block Rate

## Resistance to Evasions

**Blocked**

35/35 (100%)

Threat actors apply evasion techniques to disguise and modify attacks to avoid detection by security products. Therefore, it is imperative that a firewall correctly handles evasions. An attacker can bypass protection if a firewall fails to detect a single form of evasion.

Our engineers verified that the firewall could block exploits when subjected to numerous evasion techniques. To develop a baseline, we took several previously blocked attacks. We then applied evasion techniques to those baseline samples and tested them. This ensured that any misses were due to the evasions and not the baseline samples.




Figure 2 – Resistance to Evasions

# Performance

AAA

Cloud security architects are tasked with designing environments that scale. Making an informed decision regarding the performance of a cloud network firewall in an environment requires an understanding of the impact an appliance will have on traffic passing through it under various load conditions. The tests in this section measured the firewall’s performance using traffic scenarios selected to provide realistic performance expectations. Individual implementations will vary based on the use case; however, these quantitative metrics inform whether a particular device is appropriate for a given environment. Each test was performed concurrently without the firewall to provide a baseline control. The test was then repeated with the firewall in the exact same configuration as used for exploits and evasions. Results are reported both as measured, relative to the baseline, and in context with other measurable attributes and confounding variables.

## Rated Throughput

While the cloud firewall can burst to higher than 1,000 Mbps, depending on the file sizes, connections per second, time of day, and so on; our aim for this test was to determine if the cloud firewall could sustain 1,000 Mbps traffic over time, for a range of packet sizes and connections per second. We measured performance with different packet sizes and payloads in order to capture the firewall’s performance curves for UDP, HTTP, and HTTPS.

The “Plain Text Rated Throughput,” “HTTPS Rated Throughput,” and the combined “Rated Throughput” are good benchmarks for what an enterprise can expect the firewall instance to achieve consistently [over time] when deployed on AWS.

Performance		AAA
Plain Text Rated Throughput (Average of HTTP capacity —without delays)	1,000 Mbps	Rated Throughput <b>943 Mbps</b>
HTTPS (SSL/TLS) Rated Throughput (Average of all HTTPS Capacity tests)	886 Mbps	

Figure 3 – Rated Throughput (Mbps)

## Raw Packet Processing Performance (UDP Throughput)

This test used UDP packets of varying sizes generated by traffic generation tools. A constant stream of the appropriate packet size — with variable source and destination IP addresses transmitting from a fixed source port to a fixed destination port — was transmitted bi-directionally through the firewall. Each packet contained dummy data and was targeted at a valid port on a valid IP address on the target subnet. Testing determined the maximum rate the firewall could process raw packets of various sizes, the associated latency, and the number of dropped packets.

This traffic did not attempt to simulate any form of real-world network condition. No TCP sessions were created during this test, and there was very little for the detection engine to do. However, each vendor was required to write a signature to detect the test packets to ensure that they were being passed through the detection engine and not “fast-tracked” from the inbound port to the outbound port.




Figure 4 - Raw Packet Processing Performance (UDP Traffic)

## HTTP Capacity

The goal was to stress the HTTP detection engine and determine how the device copes with network loads of varying average packet sizes and varying connections per second. By creating genuine session-based traffic with varying session lengths, the device was forced to track valid TCP sessions, thus ensuring a higher workload than simple packet-based background traffic. This provided a test environment as close to real-world conditions as possible in a lab environment while ensuring absolute accuracy and repeatability.




Figure 5 - HTTP Capacity (with delays)

Each transaction consisted of a single HTTP GET request with delays (i.e., the web browser/client waits ten seconds to “read” the content provided by the web server. The web server then responds immediately, after the web browser/client clicks to the next page thus maintaining each connection for ten seconds). All packets contained valid payloads.




Figure 6 - HTTP Capacity (without delays)

Each transaction consisted of a single HTTP GET request, and there were no transaction delays (i.e., the webserver responded immediately to all requests). All packets contained valid payload (a mix of binary and ASCII objects) and address data. This test provided an excellent representation of a live network (albeit one biased towards HTTP traffic) at various network loads. Testing determined the maximum rate the firewall was able to process HTTP packets of multiple sizes and its efficiency at forwarding packets quickly to provide the highest level of network performance with the lowest latency. The results were recorded at each response size at a load level of 95% of the maximum throughput with zero packet loss.

## SSL/TLS Capacity

The goal was to stress the HTTPS engine and determine how the device coped with network loads of varying average packet sizes and varying connections per second. By creating session-based traffic with varying session lengths, the device was forced to track valid TCP sessions, thus ensuring a higher workload than simple packet-based background traffic. Encrypting the traffic using SSL/TLS with varying algorithms forced the device to decrypt traffic before inspection, increasing the workload further. This provided a test environment that is as close to real-world conditions as possible to achieve in a lab environment (albeit biased towards HTTPS traffic) while ensuring accuracy and repeatability. Tests were conducted with one transaction per connection; a single (1) HTTP(S) GET request. There were no transaction delays (i.e., the webserver responded immediately to all requests), and all packets contained valid payloads (a mix of binary and ASCII objects) and address data. Testing determined the maximum rate the firewall was able to process HTTPS packets of various sizes and its efficiency at forwarding packets quickly to provide the highest level of network performance with the lowest latency. The results were recorded at each response size at a load level of 95% of the maximum throughput with zero packet loss.




Figure 7 - HTTPS Capacity (TLS\_AES\_128\_GCM\_SHA256 (0x13, 0x01))




Figure 8 - HTTPS Capacity (TLS\_AES\_256\_GCM\_SHA384 (0x13, 0x02))






Figure 9 - HTTPS Capacity (TLS\_ECDHE\_RSA\_WITH\_AES\_128\_GCM\_SHA256 (0xC0, 0x2F))




Figure 10 - HTTPS Capacity (TLS\_ECDHE\_RSA\_WITH\_AES\_256\_GCM\_SHA384 (0xC0, 0x30))

# Stability and Reliability

AAA

Long-term stability is essential for a firewall, where failure can produce network outages. These tests verified the firewall’s stability and its ability to maintain security effectiveness while under normal load and while passing malicious traffic. Products that could not sustain legitimate traffic (or that crash) while under hostile attack did not pass.

The product was required to remain operational and stable throughout these tests and to block 100% of previously blocked traffic, raising an alert for each. If any policy-forbidden traffic passes, caused by either the volume of traffic or by the product failing open for any reason, this results in a fail.

## Protocol Fuzzing & Mutation

Testing determined how the firewall responded (e.g., crashes, reboots, etc.) due to traffic generated from various protocol randomizers and mutation tools. The product was expected to remain operational and capable of detecting and blocking exploits throughout the test.

## Blocking Under Extended Attack

This test provided an indication of the ability of the firewall to remain operational and stable (i.e., block violations and raise associated alerts) throughout an extended attack.

- **Blocking with Minimal Load:** A continuous stream of security policy violations mixed with legitimate traffic was transmitted through the firewall for an extended period of time with no additional background traffic. This was not intended as a stress test for traffic load (covered in the performance section); it was a reliability test for consistency of blocking.
- **Blocking Under Load:** This was intended as a stress test. This test added legitimate traffic to the Blocking with Minimal Load test.

## Behavior of the State Engine Under Load

This test determined whether the device could preserve state across a large number of open connections over an extended period of time. At various points throughout the test (including after the maximum had been reached), it was confirmed that the device was still capable of inspecting and blocking traffic that violated the currently applied security policy while ensuring that legitimate traffic was not blocked (perhaps as a result of exhaustion of the resources allocated to state tables).

- **Attack Detection/Blocking – Normal Load:** This test determined whether the device could enforce the policy as the number of concurrent open connections increased.
- **State Preservation – Normal Load:** A legitimate HTTP session is opened, and the first packet of a two-packet exploit is transmitted. (Both halves of the exploit are required to trigger an alert.) As the number of open connections approaches the maximum, the initial HTTP session is completed with the second half of the exploit, and the session is closed. If the cloud network firewall is still maintaining the state on the original session, the exploit will be recorded and blocked. If it is not, the exploit string will not be reconstructed properly and the attack will be successful.
- **Pass Legitimate Traffic – Normal Load:** This test ensured that the product continued to pass legitimate traffic as the number of open sessions reached 75% of the maximum determined previously in performance testing.
- **State Preservation – Maximum Exceeded:** This test determined whether the product maintained the state of pre-existing sessions as the number of open sessions exceeded the maximum determined previously in performance testing.
- **Drop Traffic – Maximum Exceeded:** This test ensured that the product continued to drop all traffic as the number of open sessions exceeded the maximum determined previously in performance testing.

Stability and Reliability	Result
Protocol Fuzzing & Mutation	✓
Blocking under Extended Attack	✓
Blocking with Minimal Load	✓
Blocking Under Load	✓
Behavior of the State Engine under Load	✓
Attack Detection/Blocking – Normal Load	✓
State Preservation – Normal Load	✓
Pass Legitimate Traffic – Normal Load	✓
State Preservation – Maximum Exceeded	✓
Drop Traffic – Maximum Exceeded	✓

# Three-Year Total Cost of Ownership

When calculating TCO for a cloud firewall, there are several considerations to consider:

- **First**, there is the cost of the cloud provider and the specific price for the cloud firewall instance under consideration.
- **Second**, some instances offer a guaranteed level of throughput; others offer boosts up to a certain amount of throughput – but often fail to specify what type of traffic – for a given period.
- **Third**, there is the ongoing cost of running the instance (cost per hour), which can be different for the region selected, etc.,

From a cloud firewall perspective, traditional licenses are offered, but so are bundles, which could be as long as three or five years. What should the bundle contain? An example could be IoT detection, Antivirus, Application Control, Web & Video Filtering, Antispam Service, etc. There are pay-as-you-go options, which are charged hourly, daily, etc. Furthermore, enterprises should include labor costs for operational expenditures (OPEX) such as administration, policy and configuration handling, log handling, alert handling, monitoring, reporting, analysis, auditing and compliance, maintenance, software updates, and troubleshooting. To calculate the exact TCO for a given enterprise becomes very complex. To measure the value of the firewall, we can use the following formula:

$$\begin{aligned}
 \text{Security Effectiveness} &= \text{Exploit Block Rate} * \text{Evasions} * \text{Stability and Reliability} \\
 \text{TCO per Protected Mbps} &= \text{TCO} / (\text{Security Effectiveness} * \text{Tested Throughput})
 \end{aligned}$$

Figure 11 – Security Effectiveness and TCO per Protected Mbps Formulas

This formula incorporates the cost of the cloud firewall, the instance costs, and how effective the firewall is in delivering both security and performance over time. The *TCO per Protected Mbps* metric provides clear guidance on whether a product’s price is higher or lower than its competitors.

Figure 12 contains the list price for a few of Forcepoint’s licensing options. It is not meant as an extensive list. The pricing was provided by Forcepoint and includes full Firewall, Threat Prevention, Anti-Virus and File Reputation functionality, as well as Forcepoint Premium Support, with 24x7 support. Web reputation/ URL filtering and sandboxing requires separate subscriptions.

vCPU	Forcepoint Model	License Cost 1 year	License Cost 3 year	License Cost 5 year
1 vCPU	NGFWSWAX	\$808	\$1,435	\$2,062
2 vCPU	NGFWSWBX	\$1,504	\$2,312	\$3,120
4 vCPU	NGFWSWCX	\$2,769	\$3,907	\$5,045
8 vCPU	NGFWSWDX	\$5,299	\$7,097	\$8,895
16 vCPU	NGFWSWEX	\$10,445	\$13,586	\$16,727
32 vCPU	NGFWSWFX	\$15,477	\$19,930	\$24,383
64 vCPU	NGFWSWGX	\$23,095	\$29,536	\$35,977

Figure 12 – Forcepoint list price

If a customer picks the NGFWSWGX annual license subscription and picks the c5.9xlarge in AWS (North-Virginia), with an hourly cost of \$1.53, then the calculation would be as follows:

	Cost c5.9xlarge	Daily Cost	Annual Cost	AWS Cloud + Forcepoint Cost
AWS	\$1.53	\$36.72	\$13,402.80	\$36,497.80
Forcepoint			\$23,095.00	

Now, we can calculate the TCO:

AWS Cloud + Forcepoint Cost	Exploit Block Rate	Evasions	Stability & Reliability	Tested Throughput	TCO per Protected Mbps
\$36,497.80	100%	100%	100%	943	\$38.70

Figure 13 – TCO Calculation

# Appendix A – Scorecard

Test Configuration			
	Vendor	Forcepoint	
	Cloud Service Provider	AWS	
	AWS Instance	c5.9xlarge	
	Device	v6.11	
	vCPU	36	
	Memory	72 GB	
Routing Functionality			Result
Unrestricted Traffic Test			PASS
Segmented Traffic Test			PASS
Access Control			Result
Simple Policies			PASS
Complex Multi-Zone Policies			PASS
SSL/TLS Support			
Cipher Suites	Prevalence	Version	Result
TLS_AES_256_GCM_SHA384 (0x13, 0x02)	60.5%	TLS 1.3	100%
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xC0, 0x30)	16.3%	TLS 1.2	100%
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xC0, 0x2F)	11.7%	TLS 1.2	100%
TLS_AES_128_GCM_SHA256 (0x13, 0x01)	6.7%	TLS 1.3	100%
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (0xC0, 0x28)	1.5%	TLS 1.2	100%
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 (0xCC, 0xA8)	1.3%	TLS 1.2	100%
TLS_CHACHA20_POLY1305_SHA256 (0x13, 0x03)	0.5%	TLS 1.3	100%
TLS_ECDHE_ECDSA_WITH_CHACHA20_POLY1305_SHA256 (0xCC, 0xA9)	0.4%	TLS 1.2	100%
TLS_ECDHE_ECDSA_WITH_AES_256_GCM_SHA384 (0xC0, 0x2C)	0.3%	TLS 1.2	100%
Null ciphers (no encryption of data)			PASS
Anonymous Ciphers (no authorization)			Allows
Decryption Validation			PASS
Decryption Bypass Exceptions			PASS
TLS Session Reuse			PASS
Threat Prevention		Tested	Blocked
False Positives		55	0
No Background Network Load		977	977
With Background Network Load		977	977
Evasions		35	35
IP Packet Fragmentation		11	11
8 Byte IP Fragments; reverse order			100%
8 Byte IP Fragments; random order			100%
8 Byte IP Fragments; overlapping duplicate fragments with garbage payloads			100%
8 Byte IP Fragments; interleave chaff sandwich (invalid IP options)			100%
8 Byte IP Fragments; reverse order; delay last fragment			100%
8 Byte IP Fragments; reverse order; overlapping			100%
8 Byte IP Fragments; random order; overlapping			100%
8 Byte IP Fragments; reverse order; overlapping; type-of-service bits value			100%
8 Byte IP Fragments; random order; overlapping; type-of-service bits value			100%
16 Byte IP Fragments; overlapping; random order			100%

16 Byte IP Fragments ; overlapping duplicate fragments with garbage payloads		100%
<b>TCP Steam Segmentation</b>	<b>13</b>	<b>13</b>
3 Byte TCP Segments; reverse order		100%
3 Byte TCP Segments; random order		100%
3 Byte TCP Segments; delay first segment		100%
3 Byte TCP Segments; reverse order; delay last segment		100%
Overlapping 3 Byte TCP Segments		100%
Overlapping 3 Byte TCP Segments; reverse order		100%
Overlapping 3 Byte TCP Segments; random order		100%
Overlapping 3 Byte TCP Segments; duplicate Segments with garbage payloads		100%
3 Byte TCP Segments; interleave chaff after (invalid TCP checksums); delay first segment		100%
3 Byte TCP Segments; random order; interleave chaff before (invalid TCP checksums); delay random segment		100%
3 Byte TCP Segments; random order; interleave chaff sandwich (out-of-window sequence numbers); TCP MSS option		100%
3 Byte TCP Segments; random order; interleave chaff after (requests to resynch sequence numbers mid-stream); TCP window scale option		100%
3 Byte TCP Segments; random order; interleave chaff sandwich (requests to resynch sequence numbers mid-stream); TCP window scale option; delay first segment		100%
<b>Layered Evasions</b>	<b>8</b>	<b>8</b>
3 Byte TCP Segments; 8 Byte IP Fragments;		100%
3 Byte TCP Segments; 8 Byte IP Fragments; in reverse order		100%
3 Byte TCP Segments; random order; 8 Byte IP Fragments;		100%
3 Byte TCP Segments; 8 Byte IP Fragments; random order		100%
3 Byte TCP Segments; random order; 8 Byte IP Fragments; in reverse order		100%
3 Byte TCP Segments; random order; interleave chaff before (out-of-window sequence numbers); TCP MSS option; Overlapping 8 Byte IP Fragments; reverse order; interleave chaff after (invalid IP options); delay random fragment		100%
3 Byte TCP Segments; interleave chaff sandwich (requests to resynch sequence numbers mid-stream); TCP window scale option; delay first segment; 8 Byte IP Fragments; interleave chaff before (invalid IP options)		100%
Overlapping 3 Byte TCP Segments; overlapping 8 Byte IP Fragments;		100%
3 Byte TCP Segments; 8 Byte IP Fragments; interleave chaff before (invalid IP options)		100%
<b>IP Address Spoofing</b>	<b>1</b>	<b>1</b>
<b>TCP Split Handshake Spoofing</b>	<b>1</b>	<b>1</b>
<b>Other Evasions</b>	<b>1</b>	<b>1</b>
Open TCP session; send small pieces of application protocol headers; pause between pieces		100%
<b>Performance</b>		
<b>Raw Packet Processing Performance (UDP Traffic)</b>	<b>Mbps</b>	<b>Latency (ms)</b>
64 Byte Frames	175	0.56
128 Byte Frames	208	0.68
256 Byte Frames	415	0.58
512 Byte Frames	706	0.64
1024 Byte Frames	1,091	0.69
1280 Byte Frames	2,408	0.46
1518 Byte Frames	2,087	0.63
<b>HTTP Capacity without delays</b>	<b>CPS</b>	<b>Mbps</b>
1,000 Connections Per Second - 115.6 KB Response	1,000	1,000
2,000 Connections Per Second - 57.4 KB Response	2,000	1,000

4,000 Connections Per Second - 28.0 KB Response	4,000	1,000
8,000 Connections Per Second - 13.5 KB Response	8,000	1,000
16,000 Connections Per Second - 6.4 KB Response	16,000	1,000
32,000 Connections Per Second - 2.7 KB Response	32,000	1,000
<b>HTTP Capacity with delays</b>	<b>CPS</b>	<b>Mbps</b>
1,000 Connections Per Second - 115.6 KB Response	1,000	1,000
2,000 Connections Per Second - 57.4 KB Response	1,999	1,000
4,000 Connections Per Second - 28.0 KB Response	4,000	1,000
8,000 Connections Per Second - 13.5 KB Response	8,008	1,000
16,000 Connections Per Second - 6.4 KB Response	16,000	1,000
32,000 Connections Per Second - 2.7 KB Response	32,000	1,000
<b>HTTPS Capacity (0x13, 0x01)</b>	<b>CPS</b>	<b>Mbps</b>
1,000 Connections Per Second - 113.8 KB Response	1,000	1,000
2,000 Connections Per Second - 54.9 KB Response	2,000	1,000
4,000 Connections Per Second - 25.7 KB Response	4,000	1,000
8,000 Connections Per Second - 11.2 KB Response	8,000	1,000
16,000 Connections Per Second - 3.9 KB Response	14,000	875
32,000 Connections Per Second - 0.2 KB Response	12,700	397
<b>HTTPS Capacity (0x13, 0x02)</b>	<b>CPS</b>	<b>Mbps</b>
1,000 Connections Per Second - 113.8 KB Response	1,000	1,000
2,000 Connections Per Second - 54.9 KB Response	2,000	1,000
4,000 Connections Per Second - 25.7 KB Response	4,000	1,000
8,000 Connections Per Second - 11.2 KB Response	8,000	1,000
16,000 Connections Per Second - 3.9 KB Response	13,400	838
32,000 Connections Per Second - 0.2 KB Response	14,100	441
<b>HTTPS Capacity (0xC0, 0x2F)</b>	<b>CPS</b>	<b>Mbps</b>
1,000 Connections Per Second - 115.0 KB Response	1,000	1,000
2,000 Connections Per Second - 56.3 KB Response	2,000	1,000
4,000 Connections Per Second - 27.0 KB Response	4,000	1,000
8,000 Connections Per Second - 12.3 KB Response	8,000	1,000
16,000 Connections Per Second - 5.0 KB Response	14,500	906
32,000 Connections Per Second - 1.4 KB Response	14,200	444
<b>HTTPS Capacity (0xC0, 0x30)</b>	<b>CPS</b>	<b>Mbps</b>
1,000 Connections Per Second - 115.0 KB Response	1,000	1,000
2,000 Connections Per Second - 56.3 KB Response	2,000	1,000
4,000 Connections Per Second - 27.0 KB Response	4,000	1,000
8,000 Connections Per Second - 12.3 KB Response	8,000	1,000
16,000 Connections Per Second - 5.0 KB Response	14,500	906
32,000 Connections Per Second - 1.4 KB Response	14,400	450
<b>Stability and Reliability</b>	<b>Result</b>	
Protocol Fuzzing & Mutation	PASS	
Blocking with Minimal Load	PASS	
Blocking Under Load	PASS	
Attack Detection/Blocking – Normal Load	PASS	
State Preservation – Normal Load	PASS	
Pass Legitimate Traffic – Normal Load	PASS	
State Preservation – Maximum Exceeded	PASS	
Drop Traffic – Maximum Exceeded	PASS	

## Appendix B

CyberRatings Classification Matrix	
RATING	DEFINITION
AAA	A product rated 'AAA' has the highest rating assigned by CyberRatings. The product's capacity to meet its commitments to consumers is extremely strong.
AA	A product rated 'AA' differs from the highest-rated products only to a small degree. The product's capacity to meet its commitments to consumers is very strong.
A	A product rated 'A' is somewhat less capable than higher-rated categories. However, the product's capacity to meet its commitments to consumers is still strong.
BBB	A product rated 'BBB' exhibits adequate stability and reliability. However, previously unseen events and use cases are more likely to negatively impact the product's capacity to meet its commitments to consumers.
	A product rated 'BB,' 'B,' 'CCC,' 'CC,' and 'C' is regarded as having significant risk characteristics. 'BB' indicates the least degree of risk and 'C' the highest. While such products will likely have some specialized capability and features, these may be outweighed by large uncertainties or major exposure to adverse conditions.
BB	A product rated 'BB' is more susceptible to failures than products that have received higher ratings. The product has the capacity to meet its commitments to consumers. However, it faces minor technical limitations that have a potential to be exposed to risks.
B	A product rated 'B' is more susceptible to failures than products rated 'BB'; however, it has the minimum capacity. Adverse conditions will likely expose the product's technical limitations that lead to an inability to meet its commitments to consumers.
CCC	A product rated 'CCC' is susceptible to failures and is dependent upon favorable conditions to perform expected functions. In the event of adverse conditions, the product is not likely to have the capacity to meet its commitments to consumers.
CC	A product rated 'CC' is highly susceptible to failures. The 'CC' rating is used when a failure has not yet occurred, but CyberRatings considers it a virtual certainty.
C	A product rated 'C' is highly susceptible to failures. The product is expected to fail under any abnormal operating conditions and does not offer a useful management systems and logging information compared with products that are rated higher.
D	A product rated 'D' is actively underperforming and failing and does not meet the use-case. The 'D' rating is used when the product is not operational without a major technical overhaul. Unless CyberRatings believes that such technical fixes will be made within a stated grace period (typically 30-90 calendar days), the 'D' rating also is an indicator that existing customers using the product have already experienced a failure and should take immediate action.

## Authors

Thomas Skybakmoen, Vikram Phatak, Ahmed Basheer

## Contact Information

CyberRatings.org  
2303 Ranch Road 620 South  
Suite 160, #501  
Austin, TX 78734

[info@cyberratings.org](mailto:info@cyberratings.org)  
[www.cyberratings.org](http://www.cyberratings.org)

© 2022 CyberRatings.org. All rights reserved. No part of this publication may be reproduced, copied/scanned, stored on a retrieval system, emailed or otherwise disseminated or transmitted without the express written consent of CyberRatings.org. ("us" or "we").

1. The information in this report is subject to change by us without notice, and we disclaim any obligation to update it.
2. The information in this report is believed by us to be accurate and reliable at the time of publication, but is not guaranteed. All use of and reliance on this report are at your sole risk. We are not liable or responsible for any damages, losses, or expenses of any nature whatsoever arising from any error or omission in this report.
3. NO WARRANTIES, EXPRESS OR IMPLIED ARE GIVEN BY US. ALL IMPLIED WARRANTIES, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT, ARE HEREBY DISCLAIMED AND EXCLUDED BY US. IN NO EVENT SHALL WE BE LIABLE FOR ANY DIRECT, CONSEQUENTIAL, INCIDENTAL, PUNITIVE, EXEMPLARY, OR INDIRECT DAMAGES, OR FOR ANY LOSS OF PROFIT, REVENUE, DATA, COMPUTER PROGRAMS, OR OTHER ASSETS, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
4. This report does not constitute an endorsement, recommendation, or guarantee of any of the products (hardware or software) tested or the hardware and/or software used in testing the products. The testing does not guarantee that there are no errors or defects in the products or that the products will meet your expectations, requirements, needs, or specifications, or that they will operate without interruption.
5. This report does not imply any endorsement, sponsorship, affiliation, or verification by or with any organizations mentioned in this report.
6. All trademarks, service marks, and trade names used in this report are the trademarks, service marks, and trade names of their respective owners.